

TTA Standard

정보통신단체표준(영문표준)

TTAE.OT-XX

개정일: 2018년 12월 XX일

네트워크 공통 데이터 형태
인코딩 포맷

Network Common Data Form (NetCDF) –
Core Encoding Standard version 1.0



한국정보통신기술협회
Telecommunications Technology Association

표준초안 검토 위원회 GIS 프로젝트그룹(PG409)

표준안 심의 위원회 정보기술 융합 기술위원회(TC4)

	성명	소 속	직위	위원회 및 직위	표준번호
표준(과제) 제안	유재준	한국전자통신연구원	책임		
표준 초안 작성자	유재준	한국전자통신연구원	책임		
사무국 담당	박은혜	TTA		-	

본 문서에 대한 저작권은 TTA에 있으며, TTA와 사전 협의 없이 이 문서의 전체 또는 일부를 상업적 목적으로 복제 또는 배포해서는 안 됩니다.

본 표준 발간 이전에 접수된 지식재산권 협약서 정보는 본 표준의 '부록(지식재산권 협약서 정보)'에 명시하고 있으며, 이후 접수된 지식재산권 협약서는 TTA 웹사이트에서 확인할 수 있습니다.

본 표준과 관련하여 접수된 협약서 외의 지식재산권이 존재할 수 있습니다.

발행인 : 한국정보통신기술협회 회장

발행처 : 한국정보통신기술협회

13591, 경기도 성남시 분당구 분당로 47

Tel : 031-724-0114, Fax : 031-724-0109

발행일 : 20xx.xx

서 문

1 표준의 목적

본 표준은 OGC (Open Geospatial Consortium)의 네트워크 공통 데이터 형태 인코딩 포맷 표준을 수용한 것으로, 시공간적으로 변화하는 현상에 대한 지리공간데이터를 배열 형태를 기반으로 기술하기 위한 데이터 모델과 이에 대한 인코딩 방법을 제공하는 것을 목적으로 한다. 이를 통해 지리공간과 관련된 배열 형태의 기본 데이터에 대한 상호 운용성 등이 확대될 수 있다.

2 주요 내용 요약

본 표준은 시공간적으로 변화하는 현상에 대한 지리공간데이터의 기술을 위해 사용될 수 있는 배열 형태의 데이터 모델과, 이에 대한 핵심 인코딩 포맷을 정의한다. 이를 통해 시공간적으로 변화하는 지리공간데이터가 명확하게 해석될 수 있고 그 활용가능성이 보다 확대 될 수 있다. 이러한 데이터 모델 및 인코딩 방법을 배열 형태를 기본 모델로 하는 다양한 과학 데이터에 대해 사용될 수 있다. 본 표준의 주요 내용은 다음과 같다.

- 범위
- 적합성
- 규범적 참조표준
- 용어 및 정의
- 표기법
- NetCDF 기본 데이터 모델
- 부속서 A. 추상화 테스트 (규범적)
- 부속서 B. 개정 내역

3 인용 표준과의 비교

3.1 인용 표준과의 관련성

본 표준은 OGC 10-090r3 Network Common Data Form (NetCDF) – Core Encoding Standard version 1.0을 수용한 표준이며, 그 내용은 동일하다.

3.2 인용 표준과 본 표준의 비교표

본 표준은 OGC 10-090r3 Network Common Data Form (NetCDF) – Core Encoding Standard version 1.0을 수용한 표준이며, 그 내용은 동일하다.

OGC 10-090r3 Network Common Data Form (NetCDF) – Core Encoding Standard version 1.0	TTAE.OT-XX	비고
1. Scope	1. 범위 (Scope)	동일
2. Conformance	2. 적합성 (Conformance)	동일
3. Normative References	3. 규범적 참조표준 (Normative References)	동일
4. Terms and definitions	4. 용어 및 정의 (Terms and definitions)	동일
5. Document Conventions	5. 문서 표기 (Document Conventions)	동일
6. NetCDF classic data model	6. NetCDF 기본 데이터 모델 (NetCDF classic data model)	동일
Annex A Conformance Class Abstract Test Suite (Normative)	부속서 A. 추상화 테스트 (Conformance Class Abstract Test Suite) (규범적)	동일
Annex B. Revision History	부속서 B. 개정 내역 (Revision History)	동일

Preface

1 Purpose

This standard applies [OGC 10-090r3 Network Common Data Form (NetCDF) – Core Encoding Standard version 1.0] of OGC and supports electronic encoding of geospatial data, specifically digital geospatial information representing space and time-varying phenomena. This NetCDF standards defines a data model for array-oriented scientific data. This standard provides for encoding the common data in an interoperable manner so that applications can request, aggregate, and share with clarified meanings.

2 Summary

This standard applies [OGC 10-090r3 Network Common Data Form (NetCDF) – Core Encoding Standard version 1.0]. This standard provides for electronic encoding of geospatial data, specifically digital geospatial information representing space and time-varying phenomena. The main contents of this specification are as follows.

- Scope
- Conformance
- Normative References
- Terms and definitions
- Document Conventions
- NetCDF classic data model
- Annex A. Conformance Class Abstract Test Suite (Normative)
- Annex B. Revision History

3 Relationship to Reference Standards

This standard applies [OGC 10-090r3 Network Common Data Form (NetCDF) – Core Encoding Standard version 1.0] and has same contents.

OGC 10-090r3 Network Common Data Form (NetCDF) – Core Encoding Standard version 1.0	TTAE.OT-XX	Note
1. Scope	1. Scope	same
2. Conformance	2. Conformance	same
3. Normative References	3. Normative References	same
4. Terms and definitions	4. Terms and definitions	same
5. Document Conventions	5. Document Conventions	same
6. NetCDF classic data model	6. NetCDF classic data model	same
Annex A. Conformance Class Abstract Test Suite (Normative)	Annex A. Conformance Class Abstract Test Suite (Normative)	same
Annex B. Revision History	Annex B. Revision History	same

목 차

1 범위	8
2 적합성	8
3 규범적 참조 표준	8
4 용어 및 정의	8
5 문서 표기법	12
5.1 UML 표기	12
5.2 데이터 사전 테이블	12
5.2 네임스페이스 접두어 표기	12
6 NetCDF 기본 데이터 모델	12
6.1 NetCDF 기본 모델 개요	12
6.2 NetCDF 기본 데이터 모델 UML 표기	13
6.3 기본 데이터 타입	13
6.4 변수	14
6.5 차원	14
부속서 A 추상화 테스트 (Conformance Class Abstract Test Suite) (규범적)	17
A.1 적합성 테스트 클래스: netCDF 핵심	17
부속서 B 개정내역(Revision History)	21
부록 I -1 지식재산권 요약서 정보	22
I -2 시험인증 관련 사항	23
I -3 본 표준의 연계(family) 표준	24
I -4 참고 문헌	25
I -5 영문표준 해설서	26
I -6 표준의 이력	28

Open Geospatial Consortium

Date: 2011-04-05

Reference number of this OpenGIS® Project Document: **OGC 10-090r3**

OGC name of this OGC® project document: **<http://www.opengis.net/doc/IS/netcdf/1.0>**

Version: 1.0

Category: Candidate OpenGIS® Encoding Standard

Editor: Ben Domenico

OGC Network Common Data Form (NetCDF) Core Encoding Standard version 1.0

Copyright © 2011 Open Geospatial Consortium

To obtain additional rights of use visit <http://www.opengeospatial.org/legal/>.

Warning

This document is an OGC Member approved international standard. This document is available on a royalty free, non-discriminatory basis. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Document type:	OpenGIS® Implementation Standard
Document subtype:	Encoding
Document stage:	Approved
Document language:	English

License Agreement

Permission is hereby granted by the Open Geospatial Consortium, ("Licensor"), free of charge and subject to the terms set forth below, to any person obtaining a copy of this Intellectual Property and any associated documentation, to deal in the Intellectual Property without restriction (except as set forth below), including without limitation the rights to implement, use, copy, modify, merge, publish, distribute, and/or sublicense copies of the Intellectual Property, and to permit persons to whom the Intellectual Property is furnished to do so, provided that all copyright notices on the intellectual property are retained intact and that each person to whom the Intellectual Property is furnished agrees to the terms of this Agreement.

If you modify the Intellectual Property, all copies of the modified Intellectual Property must include, in addition to the above copyright notice, a notice that the Intellectual Property includes modifications that have not been approved or adopted by LICENSOR.

THIS LICENSE IS A COPYRIGHT LICENSE ONLY, AND DOES NOT CONVEY ANY RIGHTS UNDER ANY PATENTS THAT MAY BE IN FORCE ANYWHERE IN THE WORLD.

THE INTELLECTUAL PROPERTY IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE DO NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE INTELLECTUAL PROPERTY WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE INTELLECTUAL PROPERTY WILL BE UNINTERRUPTED OR ERROR FREE. ANY USE OF THE INTELLECTUAL PROPERTY SHALL BE MADE ENTIRELY AT THE USER'S OWN RISK. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR ANY CONTRIBUTOR OF INTELLECTUAL PROPERTY RIGHTS TO THE INTELLECTUAL PROPERTY BE LIABLE FOR ANY CLAIM, OR ANY DIRECT, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM ANY ALLEGED INFRINGEMENT OR ANY LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR UNDER ANY OTHER LEGAL THEORY, ARISING OUT OF OR IN CONNECTION WITH THE IMPLEMENTATION, USE, COMMERCIALIZATION OR PERFORMANCE OF THIS INTELLECTUAL PROPERTY.

This license is effective until terminated. You may terminate it at any time by destroying the Intellectual Property together with all copies in any form. The license will also terminate if you fail to comply with any term or condition of this Agreement. Except as provided in the following sentence, no such termination of this license shall require the termination of any third party end-user sublicense to the Intellectual Property which is in force as of the date of notice of such termination. In addition, should the Intellectual Property, or the operation of the Intellectual Property, infringe, or in LICENSOR's sole opinion be likely to infringe, any patent, copyright, trademark or other right of a third party, you agree that LICENSOR, in its sole discretion, may terminate this license without any compensation or liability to you, your licensees or any other party. You agree upon termination of any kind to destroy or cause to be destroyed the Intellectual Property together with all copies in any form, whether held by you or by any third party.

Except as contained in this notice, the name of LICENSOR or of any other holder of a copyright in all or part of the Intellectual Property shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Intellectual Property without prior written authorization of LICENSOR or such copyright holder. LICENSOR is and shall at all times be the sole entity that may authorize you or any third party to use certification marks, trademarks or other special designations to indicate compliance with any LICENSOR standards or specifications.

This Agreement is governed by the laws of the Commonwealth of Massachusetts. The application to this Agreement of the United Nations Convention on Contracts for the International Sale of Goods is hereby expressly excluded. In the event any provision of this Agreement shall be deemed unenforceable, void or invalid, such provision shall be modified so as to make it valid and enforceable, and as so modified the entire Agreement shall remain in full force and effect. No decision, action or inaction by LICENSOR shall be construed to be a waiver of any rights or remedies available to it.

None of the Intellectual Property or underlying information or technology may be downloaded or otherwise exported or reexported in violation of U.S. export laws and regulations. In addition, you are responsible for complying with any local laws in your jurisdiction which may impact your right to import, export or use the Intellectual Property, and you represent that you have complied with any regulations or registration procedures required by applicable law to make this license enforceable

Table of Contents

1	Scope	8
2	Conformance	8
3	Normative references	8
4	Terms and definitions	8
4.1	attribute.....	8
4.2	coordinate variable.....	9
4.3	data	9
4.4	data model.....	9
4.5	data type.....	9
4.6	data value	9
4.7	dataset	9
4.8	dimension	9
4.9	domain.....	9
4.10	encoding	9
4.11	global attribute (dataset attribute)	9
4.12	grid	10
4.13	metadata.....	10
4.14	model	10
4.15	netCDF	10
4.16	netCDF conventions	10
4.17	record	10
4.18	record dimension (unlimited length dimension).....	11
4.19	shape	11
4.20	variable.....	11
4.21	variable attribute.....	11
4.22	NetCDF-specific definitions.....	11
5	Document Conventions	12
5.1	UML notation	12
5.2	Data dictionary tables	12
5.3	Namespace prefix conventions	12
6	NetCDF classic data model.....	12
6.1	NetCDF classic model overview.....	12
6.2	NetCDF classic data model UML notation	13
6.3	Primitive data types	13
6.4	Variables	13
6.5	Dimensions	14
6.5.1	Attribute.....	14
	Annex A: Conformance Class Abstract Test Suite (Normative).....	17
A.1	Conformance Test Class: netCDF Core.....	17
A.1.1	Requirement 1	17
A.1.2	Requirement 2	17
A.1.3	Requirement 3	18
A.1.4	Requirement 4	18
A.1.5	Requirement 5	18
A.1.6	Requirement 6	19

A.1.7 Requirement 719
A.1.8 Requirement 819
A.1.9 Requirement 920
A.1.10 Requirement 1020
Annex B: Revision history.....21

Figures Page
 Figure 1: netCDF classic data model.....13

Tables
 Table 1 -- NetCDF-specific Definitions11

i. Abstract

This document specifies the network Common Data Form (netCDF) core standard and extension mechanisms. The OGC netCDF encoding supports electronic encoding of geospatial data, specifically digital geospatial information representing space and time-varying phenomena.

NetCDF is a data model for array-oriented scientific data. A freely distributed collection of access libraries implementing support for that data model, and a machine-independent format are available. Together, the interfaces, libraries, and format support the creation, access, and sharing of multi-dimensional scientific data.

ii. Keywords

Ogcdoc, netcdf, netcdf-core, multi-dimensional

iii. Preface

This document specifies the core of the OGC netCDF encoding standard.

iv. Terms and definitions

This document uses the specification terms defined in Subclause 5.3 of [OGC 06-121r8], which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word “shall” (not “must”) is the verb form used to indicate a requirement to be strictly followed to conform to this standard.

v. Submitting organizations

The following organizations submitted this Candidate Implementation Specification to the Open Geospatial Consortium Inc.

- IMAA-CNR Italy
- METEO-FRANCE
- Natural Environment Research Council (NERC)
- Northrop Grumman Corporation
- University Corporation for Atmospheric Research (UCAR)
- US National Oceanic and Atmospheric Administration (NOAA)

vi. Submission contact points

Name	Organization
Ben Domenico	UCAR Unidata
Stefano Nativi	University of Florence, CNR/IMAA

vii. Changes to the OpenGIS[®] Abstract Specification

The OpenGIS[®] Abstract Specification does not require any changes to accommodate the technical contents of this (part of this) document.

viii. Future work

Based on this netCDF core standard, several extensions are foreseen. An outline of how these extensions can be defined is provided in the CF-netCDF Primer, OGC-10-091r3.

Foreword

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

Introduction

The OGC netCDF encoding supports electronic encoding of geospatial data, specifically digital geospatial information representing space and time-varying phenomena.

This document specifies the netCDF core; every netCDF encoding *shall* adhere to the mandatory requirements as specified in this standard.

NetCDF (network Common Data Form) is a data model for array-oriented scientific data. A freely distributed collection of access libraries implementing support for that data model, and a machine-independent format are available. Together, the interfaces, libraries, and format support the creation, access, and sharing of multi-dimensional scientific data.

NetCDF data is intended to make possible the creation of collections of data that are:

- **Self-Describing:** A netCDF dataset may include descriptive information about the data they contain. Hence a netCDF dataset may constitute a complete and independent unit with no need for external metadata.
- **Portable:** Computers with different ways of storing integers, characters, and floating point numbers can access netCDF data.
- **Direct-access:** A small subset of a large data set may be accessed efficiently, without first reading through all the preceding data.
- **Appendable:** Data may be appended to a properly structured netCDF file without copying the data set or redefining its structure.
- **Sharable:** One writer and multiple readers may simultaneously access the same netCDF file. Using parallel netCDF interfaces, multiple writers may write a file concurrently.
- **Archivable:** Access to current and earlier forms of netCDF data will be supported by current and future versions of the software.

The purpose of netCDF is to provide a data model, software libraries, and machine-independent data format for geoscience data. Together, the netCDF interfaces, libraries, and format support the creation, access, and sharing of scientific data. With suitable community conventions, netCDF can help improve interoperability among data providers, data users, and data services.

OGC Abstract Specification: NetCDF Core

1 Scope

This OGC standard defines the netCDF data model and the core set of requirements to which every netCDF encoding must adhere. Extensions to the NetCDF core standard add further functionality to the core requirements. In particular, netCDF extensions to the core are required for specific encodings, such as the 64-bit Offset Format. This document indicates which extensions, at minimum, need to be considered in addition to the core for creating useful standards that can be implemented to meet interoperability requirements of domains and information communities.

2 Conformance

Standardization targets are netCDF implementations (currently: encodings).

This document establishes a single requirements class, *core*, of

<http://www.opengis.net/spec/netcdf/1.0/req/core>

with a single pertaining conformance class, *core*, with URI

<http://www.opengis.net/spec/netcdf/1.0/conf/core>.

Requirements and conformance test URIs defined in this document are relative to

<http://www.opengis.net/spec/netcdf/1.0/>.

Annex A (normative) specifies conformance tests which shall be exercised by any encoded dataset claiming to implement an OGC netCDF encoding.

3 Normative references

The OGC NetCDF Core standard consists solely of this document.

The complete standard is identified by OGC URI <http://www.opengis.net/spec/netcdf/1.0>.

The document has OGC URI <http://www.opengis.net/doc/IS/netcdf/1.0>.

4 Terms and definitions

For the purposes of this document, the terms and definitions given in the above references apply. In addition, the following terms and definitions apply.

4.1 attribute

Attributes hold metadata. An attribute contains information about properties of a variable or an entire dataset. The usage of this term in the context of netCDF is given in Chapter 6.

4.2 coordinate variable

A coordinate variable is a variable that identifies a coordinate axis.

4.3 data

The ISO definition of data is the reinterpretable representation of information in a formalized manner suitable for communication, interpretation, or processing [ISO/IEC 2382-1].

4.4 data model

A data model is a description of the organization of data in a manner that reflects an information structure [ISO/IEC 11179-1].

4.5 data type

According to ISO, the definition of a data type is the specification of a value domain with operations allowed on values in this domain [ISO 19103]. The usage of this term in the context of netCDF is given in Chapter 6.

4.6 data value

According to OGC Observations and Measurements, a data value is the result of a specialized event called an observation. An observation is an act of observing a property or phenomenon, with the goal of producing an estimate of the value of the property [OGC 07-022r1].

4.7 dataset

According to ISO, a dataset is an identifiable collection of data [ISO 19101].

4.8 dimension

Dimensions are used to specify variable shapes, common grids, and coordinate systems. The usage of this term in the context of netCDF is given in Chapter 6.

Note that certain specifications of common grids and coordinate systems are done in netCDF conventions which are beyond the scope of this netCDF core specification and are part of extension specifications.

4.9 domain

A domain is a well-defined set [ISO 19103].

4.10 encoding

An encoding is a conversion of data into a series of codes [ISO 19118].

4.11 global attribute (dataset attribute)

Global attributes apply to a whole data set and may be used to record properties of all the data in a file, such as processing history or conventions used.

4.12 grid

A grid is a network composed of two or more sets of curves in which the members of each set intersect the members of the other sets in an algorithmic way [ISO 19123].

Note that certain specifications of common grids and coordinate systems are done in netCDF conventions which are beyond the scope of this netCDF core specification and are part of extension specifications.

4.13 metadata

Metadata is data about data [ISO 19115].

4.14 model

A model is an abstraction of some aspects of reality [ISO 19109].

4.15 netCDF

NetCDF (network Common Data Form) is a data model for array-oriented scientific data, a freely distributed collection of access libraries implementing support for that data model, and a machine-independent format. Together, the interfaces, libraries, and format support the creation, access, and sharing of scientific data.

The classic model represents information in a netCDF data set using dimensions, variables, and attributes, to capture the meaning of array-oriented scientific data.

Note that this document is the specification of the netCDF classic data model. The formal requirements are given in Chapter 6.

4.16 netCDF conventions

The mere use of netCDF is not sufficient to make data "self-describing" and meaningful to both humans and machines. The names of variables and dimensions should be meaningful and conform to any relevant conventions. Dimensions should have corresponding coordinate variables where sensible.

Conventions provide a mechanism whereby a community can specify standard ways to represent quantities and coordinate systems within the simple framework provided by netCDF, using only dimensions, variables, attributes, and a limited set of six primitive types.

Note that the specification of conventions is not covered in the core netCDF specification, but is left to be done in extension specifications.

4.17 record

A record is a finite, named collection of related items (objects or values).

The usage of this term in the context of netCDF is given in Chapter 6.

4.18 record dimension (unlimited length dimension)

In the netCDF classic model, at most one dimension can have the unlimited length, which means variables can grow along that dimension. Record dimension is another term for an unlimited dimension.

The usage of this term in the context of netCDF is given in Chapter 6.

4.19 shape

The shape of a variable is specified with a list of zero or more dimensions.

The usage of this term in the context of netCDF is given in Chapter 6.

4.20 variable

A variable has a name, type, shape, attributes, and values. In fact, much of the netCDF specification consists of defining the specific characteristics of variables. Variables hold data values. In the netCDF model, a variable can hold a multidimensional array of values of the same type.

The usage of this term in the context of netCDF is given in Chapter 6.

4.21 variable attribute

Variable attributes record the properties of one variable.

The usage of this term in the context of netCDF is given in Chapter 6.

4.22 NetCDF-specific definitions

The following table lists the definitions specific to the context of this specification. They are all of definition type “property.” The base URI to be used with the tokens is:

http://www.opengis.net/def/property/netcdf/1.0/{URI_token}

Table 1 -- NetCDF-specific Definitions

Defined Term	URI Token	Source Clause in this document: OGC 10-090
attribute	attribute	4.1
coordinate variable	coordinateVariable	4.2
dimension	dimension	4.6
global attribute	globalAttribute	4.11

netCDF	netcdf	4.15
netCDF conventions	netcdfConventions	4.16
record	record	4.17
record dimension	recordDimension	4.18
shape	shape	4.19
variable	variable	4.20
variable attribute	variableAttribute	4.20

5 Document Conventions

5.1 UML notation

All the diagrams that appear in this specification are presented using the Unified Modeling Language (UML) static structure diagram, as described in Subclause 5.2 of OGC Web Services Common [OGC 06-121r8].

5.2 Data dictionary tables

The UML model data dictionary is specified herein in a series of tables. The contents of the columns in these tables are described in Subclause 5.5 of [OGC 06-121r8]. The contents of these data dictionary tables are normative, including any table footnotes.

5.3 Namespace prefix conventions

Since there are no XML schemas used in this specification, there are no namespace mappings. It is possible that extensions may involve schemas, in which case the namespace mappings will be listed in those specification documents.

6 NetCDF classic data model

This Clause specifies the underlying data model for a netCDF classic dataset used in the further Clauses of this standard.

6.1 NetCDF classic model overview

The classic model represents information in a netCDF data set using dimensions, variables, and attributes, to capture the meaning of array-oriented scientific data. Figure 1 presents a UML diagram of the classic data model.

6.2 NetCDF classic data model UML notation




Figure 1: netCDF classic data model

For a more comprehensive explanation of the netCDF data model, see the NetCDF User's Guide[1] or the online NetCDF Workshop for Developers and Data Providers [3].

Requirement 1 <http://www.opengis.net/spec/netcdf/1.0/req/core/data-model-elements>:

NetCDF classic datasets shall represent information using dimensions, variables and attributes using the primitive data types as shown in the UML diagram in Figure 1.

6.3 Primitive data types

Requirement 2 <http://www.opengis.net/spec/netcdf/1.0/req/core/primitive-data-types>:

Variables and attributes shall have one of six primitive data types: char, byte, short, int, float, double.

6.4 Variables

Variables hold data values. In the classic model, a variable can hold a multidimensional array of values of the same type. A variable has a name, type, shape, attributes, and values. The shape of a variable is specified with a list of zero or more dimensions:

- 0 dimensions: a scalar variable with only one value.
- 1 dimension: a 1-D (vector) variable.
- 2 dimensions: a 2-D (matrix or grid) variable.

- ...
- N dimensions: a N-D (matrix or grid) variable.

A variable may have zero or more variable attributes.

Requirement 3 <http://www.opengis.net/spec/netcdf/1.0/req/core/variable-name-type-value>:

A variable shall have a name, type, and data values.

Requirement 4 <http://www.opengis.net/spec/netcdf/1.0/req/core/variable-shape>:

The shape of a variable shall be specified with a list of zero or more dimensions.

6.5 Dimensions

Dimensions are used to specify variable shapes, common grids, and coordinate systems. A dimension has a name and a length. Dimensions may be shared among variables, indicating a common grid. Dimensions may be associated with coordinate variables to identify coordinate axes. In the classic model, at most one dimension can have the unlimited length, which means variables can grow along that dimension. Record dimension is another term for an unlimited dimension. (In the enhanced model, multiple dimensions can have the unlimited length.)

Note that certain specifications of common grids and coordinate systems are done in netCDF conventions which are beyond the scope of this netCDF core specification and are part of extension specifications. Likewise this core specification is confined to the netCDF classic data model so the specification of the enhanced model is left to an extension specification.

Requirement 5 <http://www.opengis.net/spec/netcdf/1.0/req/core/dimension-shapes>:

Dimensions shall specify variable shapes which may be shared as common grids.

Requirement 6 <http://www.opengis.net/spec/netcdf/1.0/req/core/dimension-name-length>:

A dimension shall have a name and a length.

Requirement 7 <http://www.opengis.net/spec/netcdf/1.0/req/core/record-dimension>:

At most one dimension (the record dimension) shall have unlimited length

6.5.1 Attribute

Attributes hold metadata. An attribute contains information about properties of a variable or an entire data set. Variable attributes may be used to specify properties such as units. Attributes that apply to a whole data set, also called global attributes, may be used to record properties of all the data in a file, such as processing history or conventions used. An attribute may have zero, one, or multiple values (1-D), but attributes cannot be multidimensional.

NetCDF conventions are defined primarily in terms of attributes. Thus the names of attributes are typically standardized in conventions rather than the names of variables. NetCDF conventions are specified in extensions to this core specification.

An attribute may have zero, one, or multiple values (one dimensional).

A netCDF dataset may have zero or more global attributes.

Requirement 8 <http://www.opengis.net/spec/netcdf/1.0/req/core/global-attribute-metadata>:

Global attributes shall hold metadata about the entire dataset.

Requirement 9 <http://www.opengis.net/spec/netcdf/1.0/req/core/variable-attribute>:

A variable attribute shall hold metadata about one variable.

Requirement 10 <http://www.opengis.net/spec/netcdf/1.0/req/core/attribute-dimension>:

An attribute shall have at most one dimension.

Bibliography

IETF RFC 2396, *Uniform Resource Identifiers (URI): Generic Syntax*. IETF, 1998

[ISO 19101, *Geographic information -- Reference model*. ISO, 2002] (Dataset)

[ISO 19103, *Geographic information -- Conceptual schema language*, 2005] (Domain)

[ISO 19115, *Geographic information – Metadata*, 2003] (Metadata)

[ISO 19118, *Geographic information – Encoding*, 2005] (Encoding)

[ISO 19123, *Geographic information -- Schema for coverage geometry and functions*, 2005] (Grid)

[ISO/IEC 2382-1, *Information technology -- Vocabulary -- Part 1: Fundamental terms*, 1993] (Data and data type.)

[OGC 07-022r1], *Observations and Measurements – Part 1 – Observation Schema*. (Data value)

NASA ESDS-RFC-011v2.00 R. Rew, E. Hartnett, D. Heimbigner, E. Davis, J. Caron:
NetCDF Classic and 64-bit Offset File Formats

CF-netCDF Primer [OGC 10-091r3]

<http://www.esdswg.org/spg/rfc/esds-rfc-011/ESDS-RFC-011v2.00.pdf>

Unidata UCAR, NetCDF Reference Document, 2009

<http://www.unidata.ucar.edu/netcdf/docs/>

Unidata UCAR, NetCDF User Guide

<http://www.unidata.ucar.edu/netcdf/docs/netcdf.html>

Unidata UCAR, NetCDF Reference Implementations
<ftp://ftp.unidata.ucar.edu/pub/netcdf/netcdf.tar.gz>

Annex A: Conformance Class Abstract Test Suite (Normative).

A netCDF encoding must satisfy the following characteristics to be conformant with this specification. Note, however, that an encoding extension is needed in order to actually implement executable tests corresponding to these abstract tests.

A.1 Conformance Test Class: netCDF Core

Applies for conformance class netCDF with URI
<http://www.opengis.net/spec/netcdf/1.0/conf/core>

A.1.1 Requirement 1

Test ID Conformance Test for Requirement 1

<http://www.opengis.net/spec/netcdf/1.0/conf/core/data-model-elements>:

Test purpose

NetCDF classic datasets shall represent information using dimensions, variables and attributes using the primitive data types as shown in the UML diagram in Figure 1.

Test method

Open the dataset and check that it represents information using dimensions, variables and attributes using the primitive data types as shown in the UML diagram in Figure 1.

A.1.2 Requirement 2

Test ID Conformance Test for Requirement 2

<http://www.opengis.net/spec/netcdf/1.0/conf/core/primitive-data-types>

Test purpose

Variables and attributes shall have one of six primitive data types: char, byte, short, int, float, double.

Test method

Open the dataset and check that all variables and attributes have one of six primitive data types: char, byte, short, int, float, double.

A.1.3 Requirement 3

Test ID	Conformance Test for Requirement 3 http://www.opengis.net/spec/netcdf/1.0/conf/core/variable-name-type-value
Test purpose	A variable shall have a name, type, and values.
Test method	Open the dataset and check that all variables have a name, type, and values.

A.1.4 Requirement 4

Test ID	Conformance Test for Requirement 4 http://www.opengis.net/spec/netcdf/1.0/conf/core/variable-shape
Test purpose	The shape of a variable shall be specified with a list of zero or more dimensions
Test method	Open the dataset and check that, for any variable for which there is a shape, the shape is specified with a list of zero or more dimensions.

A.1.5 Requirement 5

Test ID	Conformance Test for Requirement 5 http://www.opengis.net/spec/netcdf/1.0/conf/core/dimension-shapes
Test purpose	Dimensions shall specify variable shapes which may be shared as common grids.
Test method	Open the dataset and check that, for any variable for which there is a shape dimensions specify the variable shape.

A.1.6 Requirement 6

Test ID	Conformance Test for Requirement 6 http://www.opengis.net/spec/netcdf/1.0/conf/core/dimension-name-length
Test purpose	A dimension shall have a name and a length.
Test method	Open the dataset and check that all dimensions have a name and a length.

A.1.7 Requirement 7

Test ID	Conformance Test for Requirement 7 http://www.opengis.net/spec/netcdf/1.0/conf/core/record-dimension
Test purpose	At most one dimension (the record dimension) shall have unlimited length
Test method	Open the dataset and check that at most one dimension (the record dimension) has unlimited length.

A.1.8 Requirement 8

Test ID	Conformance Test for Requirement 8 http://www.opengis.net/spec/netcdf/1.0/conf/core/global-attribute-metadata
Test purpose	Global attributes shall hold metadata about the entire dataset
Test method	Open the dataset and check that any global attributes present hold metadata about the entire dataset..

A.1.9 Requirement 9

Test ID	Conformance Test for Requirement 9 http://www.opengis.net/spec/netcdf/1.0/conf/core/variable-attribute
Test purpose	A variable attribute shall hold metadata about one variable
Test method	Open the dataset and check that each variable attribute holds metadata about one variable

A.1.10 Requirement 10

Test ID	Conformance Test for Requirement 10 http://www.opengis.net/spec/netcdf/1.0/conf/core/attribute-dimension
Test purpose	An attribute shall have at most one dimension.
Test method	Open the dataset and check that each attribute has at most one dimension.

■ end of ATS –

Annex B: Revision history

Date	Release	Author	Paragraph modified	Description
2010-08-27	1.0.0	Ben Domenico, Stefano Nativi	All	Created
2010-10-20	1.0.1	Bruce Wright and Ben Domenico	4, 4.21, 6.4, 6.5, 6.5.1, A.1.3, A.1.5, A.1.10, A.1.13	Added one definition, removed unnecessary requirements and corresponding conformance tests.
2010-12-28	1.0.2	Ben Domenico	4.22	Added sentence specifying base URI for definitions. Reformatted section so URIs appear on separate lines for clarity
2010-12-28	1.0.2	Ben Domenico	6., Annex A	Added leading “.” to relative URIs.
2010-12-28	1.0.2	Ben Domenico	2,3	Changed URI references according to recommendations of OGC Naming Authority
2010-12-28	1.0.2	Ben Domenico	Table of Contents	Updated Table of Contents to get page numbers correct after edits.
2011-01-07	1.0.2	Ben Domenico	5.3	Removed Table 2: Namespace mappings table because no schemas are used in this specification
2011-01-22	1.0.2	Carl Reed	Various	Prepare for publication as OGC standard
2011-02-16	1.0.2	Ben Domenico	Various	Prepare for publication

부 록 1-1 지식재산권 확약서 정보

1-1.1 지식재산권 확약서(1) (스타일 적용-대항목/소항목)

해당 사항 없음

※ 상기 기재된 지식재산권 확약서 이외에도 본 표준이 발간된 후 접수된 확약서가 있을 수 있으니, TTA 웹사이트에서 확인하시기 바랍니다.

부 록 1-2 시험인증 관련 사항

1-2.1 시험인증 대상 여부

본 표준은 OGC 10-090r3 Network Common Data Form (NetCDF) - Core Encoding Standard version 1.0을 수용한 표준으로써 적합성 인증은 해당 표준을 참조하도록 한다.

1-2.2 시험표준 제정 현황

본 표준은 OGC 10-090r3 Network Common Data Form (NetCDF) - Core Encoding Standard version 1.0을 수용한 표준으로써 적합성 인증은 해당 표준을 참조하도록 한다.

부 록 1-3
본 표준의 연계(family) 표준

해당 사항 없음

부 록 1-4
참고 문헌

해당 사항 없음

※ 상기 기재된 참고 문헌의 발간일이 기재된 경우, 해당 표준(문서)의 해당 버전에 대해서만 유효하며, 연도를 표시하지 않은 경우에는 해당 표준(권고)의 최신 버전을 따름

부 록 1-5

영문표준 해설서

1. 범위(Scope)

본 표준은 netCDF 데이터 모델과, 이 모델에 대한 인코딩이 따라야 하는 핵심 요구사항에 대해서 정의한다. 본 표준에서 언급하는 핵심 모델로서의 확장을 통해 추가적인 기능성 등이 추가될 수 있으며, 본 문서에서는 향후의 상호 운영성을 위해 향후 확장모듈이 지켜야 하는 최소한의 요구사항에 대해 정의한다.

2. 적합성(Conformance)

본 표준의 적합성에 대한 설명은 본 영문 표준의 부속서 A에 정의된다. 자세한 적합성 내용은 본 영문 표준의 부속서 A를 참조하도록 한다.

3. 참조표준(References)

본 표준이 따르는 규범적 참조 표준은 따로 존재하지 않는다.

4. 용어 및 정의(Terms and Definitions)

본 표준에서 사용되는 용어 및 정의는 다음 등을 포함한다.

- attribute
- coordinate variable
- data
- data model
- dimension
- domain
- grid
- netCDF
- record 등

전체 용어 및 정의는 영문 표준 본문을 참고하도록 한다.

5. 표기(Conventions)

본 표준에서 사용되는 표기법에 대해 설명하며, 아래의 부분으로 구성된다.

- UML 표기법
- UML에서의 데이터 사전 테이블 표기법
- 네임스페이스 접두어 표기법

보다 자세한 설명은 표준의 본문을 참고하도록 한다.

6. NetCDF 기본 데이터 모델 (NetCDF classic data model)

NetCDF의 기본 데이터 모델에 대한 개요와 UML 다이어그램을 설명한다. 더불어, 아래에 대한 요구사항들을 정의한다.

- 데이터 모델
- 기본 데이터 타입
- 변수
- 차원
- 속성 등

데이터 모델 및 요구사항에 대한 보다 자세한 설명은 본 영문표준 본문을 참고한다.

부속서 A. 추상화 테스트 (Conformance Class Abstract Test Suite)

본 표준에서 기술하는 요구사항들에 대한 적합성 테스트 클래스를 정의한다. 각 적합성 클래스에 대한 자세한 내용은 영문 표준의 부속서를 참고하도록 한다.

부속서 B. 개정내역(Revision History)

본 표준의 개정내역을 정리한다.

부 록 1-6
표준의 이력

판수	채택일	표준번호	내용	담당 위원회
제1판	2018.12.XX	제정 TTAE.OT-XX	OGC 10-090r3 Network Common Data Form (NetCDF) - Core Encoding Standard version 1.0을 수용한 초안	PG409